| Public Conveniences - Cost of Provision   |  |   |        |   |   |                           |  | Appendix 1   |  |
|---|--|---|--------|---|---|---------------------------|--|--|--|
| Current Provision   |  | Service Enhancement   |        |   |   |                           |  |  |  |
|   |  | Option 1 Capital Development - Current Operational Pattern  |        |   | Option 2<br>Options 1 but operating on a 7/364<br>day basis |                           | Option 3 Option 2 + Development of Uplands Park Pavilion |  |  |
|   | Revenue  | Capital   |        | Revenue   | Revenu  | ie                        | Capital  | Revenue  |  |
|   | £  |   | £      | £   | £   | £                         | £  |  |  |
| Utilities Operational Management Materials Business Rates Legionella Testing Responsive Repairs Minimum Revenue Provision | 5,300<br>9,126<br>720<br>7,700<br>1,800<br>1,645<br>26,291 | Replace 2 failed and 7 failing<br>anti-vandal hand wash/dryer<br>units (due to obsolescence and<br>end of life) | 23,850 | 7,700<br>1,800<br>1,645<br><b>26,291</b><br>2,785 | Estimated Revenue Cost of Increased Opening 4,000           | 30,291<br>30,291<br>2,785 | 4  | Estimated Revenue Cost of 6,000 36,291 Increased Opening  36,29 3,18 |  |
|   | 26,291   | -   | 27,850 | 29,076  |   | 33,076                    | 4,00   | <br>0 39,47  |  |
| •   | 20,231   | Increase in Cost Compared to Cur<br>Provision   |        | 2,785   | Increase in Cost<br>Compared to Current<br>Provision        | 6,785                     | Increase in Cost Compared to Current Provision           | 13,18  |  |