




Report - Ward: South Wigston (Ward 2018)

Presentation map



©PHE - © Crown copyright and database rights 2019, Ordnance Survey 100016969 - ONS © Crown Copyright 2018



Report - Ward: South Wigston (Ward 2018)

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	South Wigston (Ward 2018)	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Black and Minority Ethnic (BME) Population	468	15,159	55,722	7,731,314
Population whose ethnicity is not 'White UK'	643	16,536	72,057	10,733,220
Population who cannot speak English well or at all	44	823	4,426	843,845


Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %

Indicator	South Wigston (Ward 2018)	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Black and Minority Ethnic (BME) Population	6.2	27	8.6	14.6
Population whose ethnicity is not 'White UK'	8.6	29.4	11.1	20.2
Population who cannot speak English well or at all	0.6	1.5	0.7	1.7

Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census, 2011



Report - Ward: South Wigston (Ward 2018)

Child Development and Education

Child development and education indicators, numbers

Indicator	South Wigston (Ward 2018)	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
A good level of development at age 5, 2013/14	44	330	4,166	387,000
Achieving 5A*-C (inc Eng & Maths) GCSE, 2013/14	24	366	4,020	315,795


Source: Public Health England, ONS, DfE

Child development and education indicators, values (estimated from MSOA level data)

Indicator	South Wigston (Ward 2018)	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Child development at age 5	41.5	54.8	57.9	60.4
GCSE achievement (5A*-C inc. Eng & Maths)	33.3	58.8	57.7	56.6

Source: Public Health England, ONS, DfE

Child development and education indicators, Selection (comparing to England average)



Source: Public Health England, ONS, DfE



Report - Ward: South Wigston (Ward 2018)

Long-term health conditions and morbidity

Long-term health conditions and morbidity, 2011 and 2012, numbers

Indicator	South Wigston (Ward 2018)	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Limiting long term illness or disability, 2011	1,439	9,721	105,423	9,352,586
Back pain prevalence, 2012	17.4	17.4	17.5	16.9
Severe back pain prevalence, 2012	11.2	10.8	10.6	10.2

Source: ONS Census, 2011, Arthritis Research UK 1998-2017

Back pain and severe back pain indicators have % values only and will not appear on report when combining geographical areas


Long-term health conditions and morbidity, 2011 and 2012, %

Indicator	South Wigston (Ward 2018)	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Limiting long-term illness or disability 2011	19.2	17.3	16.2	17.6
Back pain prevalence, 2012	17.4	17.4	17.5	16.9
Severe back pain prevalence, 2012	11.2	10.8	10.6	10.2

Source: ONS Census, 2011, Arthritis Research UK 1998-2017

Back pain and severe back pain indicators have % values only and will not appear on report when combining geographical areas

Long-term health conditions and morbidity, 2011 and 2012, %, Selection (comparing to England average)



Source: ONS Census, 2011, Arthritis Research UK 1998-2017

Back pain and severe back pain indicators have % values only and will not appear on report when combining geographical areas



Report - Ward: South Wigston (Ward 2018)


Children's Weight (NCMP)

Children's weight indicators, 2015/16-2017/18, %

indicator	South Wigston (Ward 2018)	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Childre with excess weight, Reception Year	21.1	18	21.9	22.4
Obese Children, Reception Year	8.7	8.1	8.7	9.5
Children with excess weight, Year 6	31.8	32.6	31.2	34.2
Obese Children Year 6	19.6	18.9	17	20

Source: National Child Measurement Programme, NHS Digital © 2018

Children's weight indicators, %, Selection (comparing to England average)



Source: National Child Measurement Programme, NHS Digital © 2018



Report - Ward: South Wigston (Ward 2018)

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2013/14 to 2017/18 (estimated from MSOA level data)

Table with 5 columns: Indicator, South Wigston (Ward 2018), Oadby and Wigston (LTLA 2013), Leicestershire (UTLA 2013), and England. Rows include all causes, CHD, stroke, MI, and COPD.

Source: Public Health England, NHS Digital © Copyright 2018

\* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease


Emergency Hospital Admissions, Standardised Admission Ratios (SAR), 2013/14 to 2017/18 (estimated from MSOA data)

Table with 5 columns: Indicator, South Wigston (Ward 2018), Oadby and Wigston (LTLA 2013), Leicestershire (UTLA 2013), and England. Rows include all causes, CHD, stroke, MI, and COPD.

Source: Public Health England, NHS Digital © Copyright 2018

Emergency Hospital admissions, SAR, 2013/14 to 2017/18, Selection (comparing to England average)

Legend: Green for Significantly better than England, Yellow for Not significantly different, Red for Significantly worse than England



Source: Public Health England, NHS Digital © Copyright 2018



Report - Ward: South Wigston (Ward 2018)

Hospital admissions - harm and injury

\*Hospital admissions - harm and injury, numbers, 2013/14 to 2017/18

Table with 5 columns: Indicator, South Wigston (Ward 2018), Oadby and Wigston (LTLA 2013), Leicestershire (UTLA 2013), England. Rows include Hospital stays for self harm, alcohol related harm (N\*), alcohol related harm (B\*), and Emergency admissions for hip fracture aged 65+.


Source: Public Health England, NHS Digital © Copyright 2018
N\* = Narrow definition, B\* = Broad definition

Hospital admissions - harm and injury, Standardised Admission Ratios (SAR), 2013/14 to 2017/18 (estimated from MSOA)

Table with 5 columns: Indicator, South Wigston (Ward 2018), Oadby and Wigston (LTLA 2013), Leicestershire (UTLA 2013), England. Rows include Hospital stays for self harm, alcohol related harm (N\*), alcohol related harm (B\*), and Emergency admissions for hip fracture aged 65+.

Source: Public Health England, NHS Digital © Copyright 2018
N\* = Narrow definition, B\* = Broad definition

Hospital admissions - harm and injury, SAR, 2013/14 to 2017/18, Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2018
N\* = Narrow definition, B\* = Broad definition



Report - Ward: South Wigston (Ward 2018)

Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2013 - 2017

Indicator	South Wigston (Ward 2018)	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All causes, aged under 75	131	744	8,824	768,760
All cancer, aged under 75	58	318	3,812	312,344
All circulatory disease, aged under 75	36	172	1,939	167,452


Source: Public Health England, produced from ONS data Copyright © 2018

Causes of deaths - premature mortality, Standardised Mortality Ratios (SMR), 2013 - 2017

Indicator	South Wigston (Ward 2018)	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All causes, aged under 75	123.4	90	85.1	100
All cancer, aged under 75	135.7	93.6	89.2	100
All circulatory disease, aged under 75	155.8	94.4	84.8	100

Source: Public Health England, produced from ONS data Copyright © 2018

Causes of deaths - premature mortality, SMR, 2013 - 2017, Selection (comparing to England average)




Source: Public Health England, produced from ONS data Copyright © 2018





Report - Ward: Wigston (excluding South)

Presentation map




©PHE - © Crown copyright and database rights 2019, Ordnance Survey 100016969 - ONS © Crown Copyright 2018



Report - Ward: Wigston (excluding South)


Population

Population by age group, 2017  
Your selection



Source: ONS © Crown copyright 2018 - total: 24,571

Population by age group, 2017  
England




Source: ONS © Crown copyright 2018

Population by age group, 2017 numbers

Ages	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
aged under 16	4,332	10,140	122,936	10,637,971
aged 16-24	2,659	8,156	78,206	6,057,265
aged 25-64	11,690	26,663	349,802	28,893,684
aged 65-84	4,941	10,141	121,291	8,678,455
aged 85 and over	949	1,935	17,977	1,352,056
Total	24,571	57,035	690,212	55,619,432

Source: ONS © Crown copyright 2018

Age pyramid for selection: male and female numbers per five-year age group, 2017



Source: ONS © Crown Copyright 2018



Report - Ward: Wigston (excluding South)

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Black and Minority Ethnic (BME) Population	3,367	15,159	55,722	7,731,314
Population whose ethnicity is not 'White UK'	3,940	16,536	72,057	10,733,220
Population who cannot speak English well or at all	191	823	4,426	843,845


Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Black and Minority Ethnic (BME) Population	13.6	27	8.6	14.6
Population whose ethnicity is not 'White UK'	15.9	29.4	11.1	20.2
Population who cannot speak English well or at all	0.8	1.5	0.7	1.7

Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census, 2011



Report - Ward: Wigston (excluding South)

Deprivation

Indices of Deprivation, 2015, Score

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
IMD 2015 Score	//	13.1	12.5	21.8

Source: DCLG © Copyright 2015. Please see metadata for further guidance on how to interpret IMD score

Indices of Deprivation, 2015, numbers

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
People living in means tested benefit households	2,576	5,548	59,295	7,790,220
Children living in income deprived households	633	1,297	14,114	2,016,120
People aged 60+ living in pension credit households	833	1,794	18,488	1,954,617


Source: DCLG © Copyright 2015

Indices of Deprivation, 2015, %

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Income Deprivation	10.5	9.9	9	14.6
Child Poverty	14.9	13.2	12	19.9
Older People in Deprivation	11.7	12.4	11.3	16.2

Source: DCLG © Copyright 2015

Indices of Deprivation, 2015, %, Selection (comparing to England average)



Source: DCLG © Copyright 2015



Report - Ward: Wigston (excluding South)

Child Development and Education

Child development and education indicators, numbers

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
A good level of development at age 5, 2013/14	134	330	4,166	387,000
Achieving 5A*-C (inc Eng & Maths) GCSE, 2013/14	139	366	4,020	315,795


Source: Public Health England, ONS, DfE

Child development and education indicators, values (estimated from MSOA level data)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Child development at age 5	51.1	54.8	57.9	60.4
GCSE achievement (5A*-C inc. Eng & Maths)	50.2	58.8	57.7	56.6

Source: Public Health England, ONS, DfE

Child development and education indicators, Selection (comparing to England average)



Source: Public Health England, ONS, DfE



Report - Ward: Wigston (excluding South)

Employment

Employment Indicators, numbers, 2017/18

indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Claiming job seekers allowances*	116	278	3,880	665,871
Claiming job seekers allowances >1 year	16	36	458	124,616


Source: NOMIS \*Monthly average

Employment Indicators, 2017/18, %

indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Unemployment (JSA claimants), %	0.8	0.8	0.9	1.9
Long term unemployment (JSA) (rate/1,000)	1.1	1	1.1	3.6

Source: NOMIS \*Monthly average

Employment indicators, selection compared to England



Source: NOMIS



Report - Ward: Wigston (excluding South)

Long-term health conditions and morbidity

Long-term health conditions and morbidity, 2011 and 2012, numbers

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Limiting long term illness or disability, 2011	4,623	9,721	105,423	9,352,586
Back pain prevalence, 2012	//	17.4	17.5	16.9
Severe back pain prevalence, 2012	//	10.8	10.6	10.2

Source: ONS Census, 2011, Arthritis Research UK 1998-2017

Back pain and severe back pain indicators have % values only and will not appear on report when combining geographical areas


Long-term health conditions and morbidity, 2011 and 2012, %

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Limiting long-term illness or disability 2011	18.6	17.3	16.2	17.6
Back pain prevalence, 2012	//	17.4	17.5	16.9
Severe back pain prevalence, 2012	//	10.8	10.6	10.2

Source: ONS Census, 2011, Arthritis Research UK 1998-2017

Back pain and severe back pain indicators have % values only and will not appear on report when combining geographical areas

Long-term health conditions and morbidity, 2011 and 2012, %, Selection (comparing to England average)



Source: ONS Census, 2011, Arthritis Research UK 1998-2017

Back pain and severe back pain indicators have % values only and will not appear on report when combining geographical areas



Report - Ward: Wigston (excluding South)

Housing and Living Environment

Housing and living environment indicators, 2011 and 2016 numbers

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Fuel Poverty, 2016	948	2,104	27,774	2,550,565
Pensioners living alone, 2011	1,472	3,031	33,126	2,725,596


Source: ONS Census, 2011; Department of Energy and Climate Change, 2016

Housing and living environment indicators, 2011 and 2016, %

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Fuel Poverty, 2016	9.1	9.6	10.1	11.1
Pensioners living alone, 2011	27.9	27.8	28.7	31.5

Source: ONS Census, 2011; Department of Energy and Climate Change, 2016

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census





Report - Ward: Wigston (excluding South)

Children's Weight (NCMP)

Children's weight indicators, 2015/16-2017/18, %

indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Childre with excess weight, Reception Year	//	18	21.9	22.4
Obese Children, Reception Year	//	8.1	8.7	9.5
Children with excess weight, Year 6	//	32.6	31.2	34.2
Obese Children Year 6	//	18.9	17	20

Source: National Child Measurement Programme, NHS Digital © 2018

Children's weight indicators, %, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England
 ■ England

Chart not available for valid data is missing

Source: National Child Measurement Programme, NHS Digital © 2018



Report - Ward: Wigston (excluding South)

Behavioural Risk Factors (modelled estimates)


Behavioural Risk Factors, numbers (estimated from MSOA level data)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Smoking at 15 years - Regular, 2014	14	30	338	33,180
Smoking at 15 years - regular or occasional, 2014	21	46	526	50,082

Behavioural Risk Factors, % (estimated from MSOA level data)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Smoking at 15 years Regular 2014	5.3	4.5	4.5	5.4
Smoking at 15 years regular or occasional 2014	8.2	6.9	6.9	8.2

Behavioural Risk Factors, %, Selection (comparing to England average)





Report - Ward: Wigston (excluding South)

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2013/14 to 2017/18 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Oadby and Wigston (LTLA 2013), Leicestershire (UTLA 2013), England. Rows include all causes, CHD\*, stroke, MI\*, and COPD\*.

Source: Public Health England, NHS Digital © Copyright 2018


\*CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease

Emergency Hospital Admissions, Standardised Admission Ratios (SAR), 2013/14 to 2017/18 (estimated from MSOA data)

Table with 5 columns: Indicator, Selection, Oadby and Wigston (LTLA 2013), Leicestershire (UTLA 2013), England. Rows include all causes, CHD, stroke, MI, and COPD.

Source: Public Health England, NHS Digital © Copyright 2018

Emergency Hospital admissions, SAR, 2013/14 to 2017/18, Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2018



Report - Ward: Wigston (excluding South)

Cancer incidence

Cancer incidence, numbers, 2012-2016 (estimated from MSOA level data)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All cancer	799	1,681	18,865	1,497,246
Breast cancer	128	280	3,059	225,546
Colorectal cancer	90	208	2,236	173,912
Lung cancer	107	210	2,097	189,310
Prostate cancer	91	177	2,265	201,770


Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2016 CASREF01)

Cancer incidence, Standardised Incidence Ratios (SIR), 2012-2016 (estimated from MSOA level data)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All cancer	94.7	95.2	94.1	100
Breast cancer	103.2	107.2	102.6	100
Colorectal cancer	89.3	99.1	95.6	100
Lung cancer	96.4	91.4	81.8	100
Prostate cancer	79.8	74.9	81.5	100

Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2016 CASREF01)

Cancer incidence, SIR, 2012-2016, Selection (comparing to England average)



Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System



Report - Ward: Wigston (excluding South)

Hospital admissions - harm and injury

\*Hospital admissions - harm and injury, numbers, 2013/14 to 2017/18

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Hospital stays for self harm	187	375	4,469	531,468
Hospital stays for alcohol related harm (N*)	837	1,712	19,638	1,659,677
Hospital stays for alcohol related harm (B*)	2,730	5,699	59,148	5,529,516
Emergency admissions for hip fracture aged 65+	182	385	3,864	//


Source: Public Health England, NHS Digital © Copyright 2018  
N\* = Narrow definition, B\* = Broad definition

Hospital admissions - harm and injury, Standardised Admission Ratios (SAR), 2013/14 to 2017/18 (estimated from MSOA)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Hospital stays for self harm	85.2	67.9	69.3	100
Hospital stays for alcohol related harm (N*)	104.5	96.7	92.4	100
Hospital stays for alcohol related harm (B*)	95.8	93.1	81.3	100
Emergency admissions for hip fracture aged 65+	97.1	99.5	100	//

Source: Public Health England, NHS Digital © Copyright 2018  
N\* = Narrow definition, B\* = Broad definition

Hospital admissions - harm and injury, SAR, 2013/14 to 2017/18, Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2018  
N\* = Narrow definition, B\* = Broad definition



Report - Ward: Wigston (excluding South)

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2013 - 2017

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All causes	1,462	2,927	29,902	2,427,410
All cancer	411	805	8,595	676,383
All circulatory disease	389	764	7,814	634,957
Coronary heart disease	176	355	3,426	279,041
Stroke	92	179	1,775	157,430
Respiratory diseases	183	368	3,853	335,078
Causes considered preventable	232	467	5,236	462,594


Source: Public Health England, produced from ONS data Copyright © 2018

Causes of deaths - all ages, Standardised Mortality Ratios (SMR), 2013 - 2017

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All causes	97.9	94.2	92.4	100
All cancer	101.9	96.2	94.3	100
All circulatory disease	97.7	92.5	92.2	100
Coronary heart disease	101.9	99.3	91.6	100
Stroke	92	85.7	84.7	100
Respiratory diseases	86.1	83.6	86.1	100
Considered preventable	96.5	92	84	100

Source: Public Health England, produced from ONS data Copyright © 2018

Causes of deaths - all ages, SMR, 2013 - 2017 Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2018



Report - Ward: Wigston (excluding South)

Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2013 - 2017

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All causes, aged under 75	380	744	8,824	768,760
All cancer, aged under 75	162	318	3,812	312,344
All circulatory disease, aged under 75	89	172	1,939	167,452


Source: Public Health England, produced from ONS data Copyright © 2018

Causes of deaths - premature mortality, Standardised Mortality Ratios (SMR), 2013 - 2017

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All causes, aged under 75	97.2	90	85.1	100
All cancer, aged under 75	99.9	93.6	89.2	100
All circulatory disease, aged under 75	102.4	94.4	84.8	100

Source: Public Health England, produced from ONS data Copyright © 2018

Causes of deaths - premature mortality, SMR, 2013 - 2017, Selection (comparing to England average)




Source: Public Health England, produced from ONS data Copyright © 2018



Report - Ward: Oadby

Presentation map



©PHE - © Crown copyright and database rights 2019, Ordnance Survey 100016969 - ONS © Crown Copyright 2018






Report - Ward: Oadby


Population

Population by age group, 2017  
Your selection



Source: ONS © Crown copyright 2018 - total: 24,409

Population by age group, 2017  
England




Source: ONS © Crown copyright 2018

Population by age group, 2017 numbers

Ages	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
aged under 16	4,289	10,140	122,936	10,637,971
aged 16-24	4,436	8,156	78,206	6,057,265
aged 25-64	10,999	26,663	349,802	28,893,684
aged 65-84	3,912	10,141	121,291	8,678,455
aged 85 and over	773	1,935	17,977	1,352,056
Total	24,409	57,035	690,212	55,619,432

Source: ONS © Crown copyright 2018

Age pyramid for selection: male and female numbers per five-year age group, 2017



Source: ONS © Crown Copyright 2018



Report - Ward: Oadby

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Black and Minority Ethnic (BME) Population	11,324	15,159	55,722	7,731,314
Population whose ethnicity is not 'White UK'	11,953	16,536	72,057	10,733,220
Population who cannot speak English well or at all	588	823	4,426	843,845


Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Black and Minority Ethnic (BME) Population	47.5	27	8.6	14.6
Population whose ethnicity is not 'White UK'	50.1	29.4	11.1	20.2
Population who cannot speak English well or at all	2.5	1.5	0.7	1.7

Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census, 2011



Report - Ward: Oadby

Deprivation

Indices of Deprivation, 2015, Score

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
IMD 2015 Score	//	13.1	12.5	21.8

Source: DCLG © Copyright 2015. Please see metadata for further guidance on how to interpret IMD score

Indices of Deprivation, 2015, numbers

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
People living in means tested benefit households	1,802	5,548	59,295	7,790,220
Children living in income deprived households	335	1,297	14,114	2,016,120
People aged 60+ living in pension credit households	696	1,794	18,488	1,954,617


Source: DCLG © Copyright 2015

Indices of Deprivation, 2015, %

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Income Deprivation	7.5	9.9	9	14.6
Child Poverty	8.1	13.2	12	19.9
Older People in Deprivation	12.3	12.4	11.3	16.2

Source: DCLG © Copyright 2015

Indices of Deprivation, 2015, %, Selection (comparing to England average)



Source: DCLG © Copyright 2015



Report - Ward: Oadby

Child Development and Education

Child development and education indicators, numbers

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
A good level of development at age 5, 2013/14	152	330	4,166	387,000
Achieving 5A*-C (inc Eng & Maths) GCSE, 2013/14	203	366	4,020	315,795


Source: Public Health England, ONS, DfE

Child development and education indicators, values (estimated from MSOA level data)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Child development at age 5	65	54.8	57.9	60.4
GCSE achievement (5A*-C inc. Eng & Maths)	74.4	58.8	57.7	56.6

Source: Public Health England, ONS, DfE

Child development and education indicators, Selection (comparing to England average)



Source: Public Health England, ONS, DfE



Report - Ward: Oadby

Employment

Employment Indicators, numbers, 2017/18

indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Claiming job seekers allowances*	100	278	3,880	665,871
Claiming job seekers allowances >1 year	5	36	458	124,616


Source: NOMIS \*Monthly average

Employment Indicators, 2017/18, %

indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Unemployment (JSA claimants), %	0.6	0.8	0.9	1.9
Long term unemployment (JSA) (rate/1,000)	0.3	1	1.1	3.6

Source: NOMIS \*Monthly average

Employment indicators, selection compared to England



Source: NOMIS



Report - Ward: Oadby

Long-term health conditions and morbidity

Long-term health conditions and morbidity, 2011 and 2012, numbers

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Limiting long term illness or disability, 2011	3,659	9,721	105,423	9,352,586
Back pain prevalence, 2012	//	17.4	17.5	16.9
Severe back pain prevalence, 2012	//	10.8	10.6	10.2

Source: ONS Census, 2011, Arthritis Research UK 1998-2017

Back pain and severe back pain indicators have % values only and will not appear on report when combining geographical areas


Long-term health conditions and morbidity, 2011 and 2012, %

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Limiting long-term illness or disability 2011	15.3	17.3	16.2	17.6
Back pain prevalence, 2012	//	17.4	17.5	16.9
Severe back pain prevalence, 2012	//	10.8	10.6	10.2

Source: ONS Census, 2011, Arthritis Research UK 1998-2017

Back pain and severe back pain indicators have % values only and will not appear on report when combining geographical areas

Long-term health conditions and morbidity, 2011 and 2012, %, Selection (comparing to England average)



Source: ONS Census, 2011, Arthritis Research UK 1998-2017

Back pain and severe back pain indicators have % values only and will not appear on report when combining geographical areas



Report - Ward: Oadby

Housing and Living Environment

Housing and living environment indicators, 2011 and 2016 numbers

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Fuel Poverty, 2016	813	2,104	27,774	2,550,565
Pensioners living alone, 2011	1,134	3,031	33,126	2,725,596

Source: ONS Census, 2011; Department of Energy and Climate Change, 2016

Housing and living environment indicators, 2011 and 2016, %

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Fuel Poverty, 2016	9.9	9.6	10.1	11.1
Pensioners living alone, 2011	27	27.8	28.7	31.5

Source: ONS Census, 2011; Department of Energy and Climate Change, 2016

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census



Report - Ward: Oadby

Children's Weight (NCMP)

Children's weight indicators, 2015/16-2017/18, %

indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Childre with excess weight, Reception Year	//	18	21.9	22.4
Obese Children, Reception Year	//	8.1	8.7	9.5
Children with excess weight, Year 6	//	32.6	31.2	34.2
Obese Children Year 6	//	18.9	17	20

Source: National Child Measurement Programme, NHS Digital © 2018

Children's weight indicators, %, Selection (comparing to England average)

■ Significantly better than England    
 ■ Not significantly different    
 ■ Significantly worse than England    
 ■ England

Chart not available for valid data is missing

Source: National Child Measurement Programme, NHS Digital © 2018





Report - Ward: Oadby

Behavioural Risk Factors (modelled estimates)


Behavioural Risk Factors, numbers (estimated from MSOA level data)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Smoking at 15 years - Regular, 2014	13	30	338	33,180
Smoking at 15 years - regular or occasional, 2014	20	46	526	50,082

Behavioural Risk Factors, % (estimated from MSOA level data)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
Smoking at 15 years Regular 2014	3.9	4.5	4.5	5.4
Smoking at 15 years regular or occasional 2014	6	6.9	6.9	8.2

Behavioural Risk Factors, %, Selection (comparing to England average)





Report - Ward: Oadby

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2013/14 to 2017/18 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Oadby and Wigston (LTLA 2013), Leicestershire (UTLA 2013), England. Rows include all causes, CHD, stroke, MI, and COPD.

Source: Public Health England, NHS Digital © Copyright 2018


\* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease

Emergency Hospital Admissions, Standardised Admission Ratios (SAR), 2013/14 to 2017/18 (estimated from MSOA data)

Table with 5 columns: Indicator, Selection, Oadby and Wigston (LTLA 2013), Leicestershire (UTLA 2013), England. Rows include all causes, CHD, stroke, MI, and COPD.

Source: Public Health England, NHS Digital © Copyright 2018

Emergency Hospital admissions, SAR, 2013/14 to 2017/18 , Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2018



Report - Ward: Oadby

Cancer incidence

Cancer incidence, numbers, 2012-2016 (estimated from MSOA level data)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All cancer	643	1,681	18,865	1,497,246
Breast cancer	125	280	3,059	225,546
Colorectal cancer	84	208	2,236	173,912
Lung cancer	62	210	2,097	189,310
Prostate cancer	69	177	2,265	201,770


Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2016 CASREF01)

Cancer incidence, Standardised Incidence Ratios (SIR), 2012-2016 (estimated from MSOA level data)

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All cancer	91.7	95.2	94.1	100
Breast cancer	119.5	107.2	102.6	100
Colorectal cancer	101	99.1	95.6	100
Lung cancer	68.6	91.4	81.8	100
Prostate cancer	74.2	74.9	81.5	100

Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2016 CASREF01)

Cancer incidence, SIR, 2012-2016, Selection (comparing to England average)



Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System



Report - Ward: Oadby

Hospital admissions - harm and injury

\*Hospital admissions - harm and injury, numbers, 2013/14 to 2017/18

Table with 5 columns: Indicator, Selection, Oadby and Wigston (LTLA 2013), Leicestershire (UTLA 2013), and England. Rows include Hospital stays for self harm, alcohol related harm (N\*), alcohol related harm (B\*), and Emergency admissions for hip fracture aged 65+.


Source: Public Health England, NHS Digital © Copyright 2018
N\* = Narrow definition, B\* = Broad definition

Hospital admissions - harm and injury, Standardised Admission Ratios (SAR), 2013/14 to 2017/18 (estimated from MSOA)

Table with 5 columns: Indicator, Selection, Oadby and Wigston (LTLA 2013), Leicestershire (UTLA 2013), and England. Rows include Hospital stays for self harm, alcohol related harm (N\*), alcohol related harm (B\*), and Emergency admissions for hip fracture aged 65+.

Source: Public Health England, NHS Digital © Copyright 2018
N\* = Narrow definition, B\* = Broad definition

Hospital admissions - harm and injury, SAR, 2013/14 to 2017/18, Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2018
N\* = Narrow definition, B\* = Broad definition



Report - Ward: Oadby

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2013 - 2017

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All causes	1,050	2,927	29,902	2,427,410
All cancer	270	805	8,595	676,383
All circulatory disease	271	764	7,814	634,957
Coronary heart disease	130	355	3,426	279,041
Stroke	63	179	1,775	157,430
Respiratory diseases	129	368	3,853	335,078
Causes considered preventable	149	467	5,236	462,594


Source: Public Health England, produced from ONS data Copyright © 2018

Causes of deaths - all ages, Standardised Mortality Ratios (SMR), 2013 - 2017

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All causes	83.9	94.2	92.4	100
All cancer	81.4	96.2	94.3	100
All circulatory disease	81.4	92.5	92.2	100
Coronary heart disease	90.5	99.3	91.6	100
Stroke	75	85.7	84.7	100
Respiratory diseases	72.9	83.6	86.1	100
Considered preventable	73.3	92	84	100

Source: Public Health England, produced from ONS data Copyright © 2018

Causes of deaths - all ages, SMR, 2013 - 2017 Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2018



Report - Ward: Oadby

Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2013 - 2017

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All causes, aged under 75	233	744	8,824	768,760
All cancer, aged under 75	98	318	3,812	312,344
All circulatory disease, aged under 75	47	172	1,939	167,452


Source: Public Health England, produced from ONS data Copyright © 2018

Causes of deaths - premature mortality, Standardised Mortality Ratios (SMR), 2013 - 2017

Indicator	Selection	Oadby and Wigston (LTLA 2013)	Leicestershire (UTLA 2013)	England
All causes, aged under 75	70.8	90	85.1	100
All cancer, aged under 75	72.8	93.6	89.2	100
All circulatory disease, aged under 75	65.1	94.4	84.8	100

Source: Public Health England, produced from ONS data Copyright © 2018

Causes of deaths - premature mortality, SMR, 2013 - 2017, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2018